

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	0	(retriev\$3 or request\$3 or quer\$3 or search\$3) with ((xml or html or sxlt) near2 object\$1) with (target near2 system\$1) same (decod\$3 or translat\$3 or convert\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/11 14:31
L2	0	(retriev\$3 or request\$3 or quer\$3 or search\$3) with ((xml or html or sxlt) near2 object\$1) with (target near2 system\$1) same (decod\$3 or translat\$3 or convert\$5) same gosher	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/11 14:31
L3	0	((retriev\$3 or request\$3 or quer\$3 or search\$3) with ((xml or html or sxlt) near2 object\$1) with (target near2 system\$1)) same (decod\$3 or translat\$3 or convert\$5) same gosher	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/11 14:33
L4	0	((retriev\$3 or request\$3 or quer\$3 or search\$3) with ((xml or html or sxlt) near2 object\$1) with ((target or operating) near2 system\$1)) same (decod\$3 or translat\$3 or convert\$5) same gosher	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/11 14:34
L5	0	((test\$3 or debug\$4) near2 system\$1) same ((retriev\$3 or request\$3 or quer\$3 or search\$3) with ((xml or html or sxlt) near2 object\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/11 15:03
L6	438	((decod\$3 or translat\$3 or convert\$5) with ((xml or html or xgml or xslt) near3 object\$1)) same (translat\$3 or convert\$3 or decod\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/11 14:36
L7	1	((decod\$3 or translat\$3 or convert\$5) with ((xml or html or xgml or xslt) near3 object\$1)) same (translat\$3 or convert\$3 or decod\$3) same gopher	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/11 14:37
L8	4	6 and gopher	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/11 14:37
L9	28	6 and ((test\$3 or debug\$4) near2 system\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/11 15:04

L10	0	9 and 707/3,4,10.ccls. and 715/501.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/11 15:04
L11	9	9 and 707/3,4,10.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/11 15:05
L12	0	9 and 715/501.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/11 15:04
L13	4	9 and "715"/\$.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/11 15:04
L14	0	xml same gopher same (target near2 system\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/11 15:48
L15	36	(xml with gopher)".ti.claim.ab.l"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/11 15:49
L16	133	(xml with gopher).ti.clm.ab.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/11 15:50
L17	0	16 and 707/4.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/11 15:49
L18	1	16 and "707"/\$.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/11 15:50
L19	133	xml and gopher.ti.clm.ab.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/11 15:50

L20	0	xml and gopher.ti.ab.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/11 15:50
L21	0	xml and gopher.ti.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/11 15:51
L22	1	xml and gopher.ab.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/11 15:51
L23	419	xml and gopher	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/11 15:51
L24	18	xml and gopher.cdm.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/11 15:53
L25	0	(retriev\$3 with xml with object\$1) same (decod\$3 or convert\$3 or translat\$3) same gopher	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/11 15:54
L26	0	(retriev\$3 with xml with object\$1) same (decod\$3 or convert\$3 or translat\$3) same gopher\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/11 15:54
L27	0	(retriev\$3 with xml with object\$1) same (decod\$3 or convert\$3 or translat\$3) same (gopher\$1 or (retrieval near2 (program\$1 or application\$1)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/11 15:55
L28	0	(retriev\$3 with ml with object\$1) same (decod\$3 or convert\$3 or translat\$3) same (gopher\$1 or (retrieval near2 (program\$1 or application\$1)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/11 15:56
L29	0	(retriev\$3 with (xml or html or sgml or xsl or xslt) with object\$1) same (decod\$3 or convert\$3 or translat\$3) same (gopher\$1 or (retrieval near2 (program\$1 or application\$1)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/11 15:56

L30	298	(retriev\$3 with (xml or html or sgml or xsl or xslt) with object\$1) and (decod\$3 or convert\$3 or translat\$3) and (gopher\$1 or ftp or http or (retrieval near2 (program\$1 or application\$1)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/11 15:57
L31	21	(retriev\$3 with (xml or html or sgml or xsl or xslt) with object\$1) same (decod\$3 or convert\$3 or translat\$3) same (gopher\$1 or ftp or http or (retrieval near2 (program\$1 or application\$1)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/11 15:57

[Home](#) | [Login](#) | [Logout](#) | [Access Information](#) | [Alk](#)

Welcome United States Patent and Trademark Office

[Search Session History](#)[BROWSE](#)[SEARCH](#)[IEEE XPLORE GUIDE](#)

Edit an existing query or compose a new query in the Search Query Display.

Fri, 11 Nov 2005, 3:24:25 PM EST

Search Query Display

Select a search number (#) to:

- Add a query to the Search Query Display
- Combine search queries using AND, OR, or NOT
- Delete a search
- Run a search

Recent Search Queries

- #1 ((xml<in>metadata) <and> (gopher<in>metadata))
- #2 ((html <in>metadata) <and> (gopher<in>metadata))
- #3 ((html <in>metadata) <and> (gopher<in>metadata))
- #4 ((sgml or html or xml or sxml) <in>metadata) <and> (gopher<in>metadata))

Indexed by
 Inspec

[Help](#) [Contact Us](#) [Privac](#)

© Copyright 2005 IE